

Industrial Strength 3D Printing

Q

Are your projects slowed by long turnaround times from a machine shop or service bureau?

Is the time or cost of machined aluminum parts getting in yourway?

Are you tired of having to say "no" to potential customers because your machining resources are tied up?



Markforged's Mark Two
Industrial Strength 3D
Printer is the only 3D
printer on the market
today that gives you the
ability to go from CAD to
strong, stiff parts you can
trust to meet your design
goals...

far faster than internal or external 3D printing or machining services... without breaking the bank...








Print with precision.

The aluminum unibody construction provides the high stiffness and rigidity you'd expect in a precision machine







The Mark Two combines the design flexibility of 3D printing with the remarkable strength of in carbon fiber, fiberglass, and Kevlar® for:

- · Jigs, fixtures, and other tooling
- Custom end-use production parts
- Functional prototyping
- Structural parts

...any instance where stronger-than-plastic parts are needed fast and without costing a fortune



Two years ago we released a revolutionary printer - the MarkOne - which empowers every engineer to print parts stronger than plastic, often the same day. Since then, we've been listening closely to customer feedback and used it to define the Mark Two.

The Mark Two offers:

- A **40% faster** fiber printing process than the Mark One
- The ability to reinforce features 15 times
 smaller than before
- A new Enterprise Bundle with High Strength, High Temperature Fiberglass, ideal for aerospace and automotive customers






The Mark Two uses a patented Continuous Filament Fabrication (CFF) process to reinforce 3D printed nylon parts with automatically contoured and optimized toolpaths of continuous strand carbon fiber, Kevlar, and fiberglass. Utilizing a dual head system with a CFF print head and an FFF (Fused Filament Fabrication) extrusion head, the Mark Two can create astonishingly robust parts by leveraging the properties of composite materials with a higher strengthto-weight ratio than 6061-T6 Aluminum.

We don't just focus on the hardware; we also offer high quality, strong materials, with no fluid waste:

- Carbon Fiber highest strength-to-weight
- Kevlar highest abrasion resistance
- Fiberglass highest strength-to-cost
- Nylon tough engineering plastic
- High Temperature Fiberglass ideal for automotive, aerospace, and other industries that need material with a higher temperature deflection point





One part. Thousands of Continuous Carbon Fibers

The incredible strength of carbon fiber comes from the long, continuous strands that carry load down the entire part. This is why space shuttles, rockets, and Formula 1 cars are constructed from continuous strand carbon, and it's how we print.



PRINTING

| Printing Technology | Fused Filament Fabrication (FFF) Continuous Filament Fabrication (CFF) |
|--------------------------|--|
| Build Size (X, Y, Z) | 320mm x 132mm x 154mm |
| Material Compatibility | Carbon Fiber, Kevlar®, Fiberglass, Nylon |
| Highest Layer Resolution | 100 Microns (FFF) |
| Extruders / Nozzles | Dual / Quick Change |
| Pause / Resume Prints | Yes |

MECHANICAL

| Chassis | Anodized Aluminum Unibody |
|--------------------------|---------------------------|
| Build Platform | Kinematically Coupled |
| Draft Blocking Enclosure | Yes |
| Interface | 4" Touchscreen |

SOFTWARE

| Software | Cloud Based |
|-------------------|------------------------------------|
| Supported OS | Mac OS 10.7 Lion +, Win 7+, Linux* |
| Supported Browser | Chrome 30+ |
| Supported files | .STL |
| Connectivity | WiFi, Ethernet, USB Flash Drive |

ALL FEATURES SUBJECT TO CHANGE WITHOUT NOTICE.



^{*}LIMITED SUPPORT.



COMPUTER SYSTEMS MANUFACTURING TOMORROW

U.A.E.Office:

Office 701, Wasl Business Centre
Port Saeed, Deira, Dubai
United Arab Emirates
P.O. Box 98617

Tel:+971 4 251 7734 **Fax:**+971 4 251 7736

Email: info@maptec.ae

K.S.A. Office:

A. Shifa Area, Al-Mussa Industrial Area Al-Nasser Street, Cross Hayel Road Riyadh, Kingdom of Saudi Arabia

Tel:+966 545 823123

Fax:+971 4 251 7736

Email: info@maptec.ae